



Tradition and Innovation - Since 1858, visionary thinking and a fascination with technology have guided us to develop innovative products of outstanding reliability. Anticipating trends to improve the quality of life.

# 7900

## OPHTHALMIC INSTRUMENT STAND

# 7900

## OPHTHALMIC INSTRUMENT STAND



### Contemporary Design Matches Reliance Chairs

The 7900 IC (with instrument charging console) and the 7900 NC (no console) provide maximum access to patients and are compatible with all Reliance chairs. They include chair controls and three wells for handheld instruments (IC version).

### Arms for Instrument Delivery

**Counterbalanced slit-lamp arm** locks and allows adjustment with a single hand. 30.5 cm of vertical travel can be counterbalanced for instruments 5.4 to 27.2 kg. A raise and lower switch on the slit lamp arm controls chair height adjustments.

**Upper refractor arm** offers 25.4 cm range of vertical movement; delivers instruments up to 9 kg.

**Third instrument arm** available as an option: 4.5 to 22.7 kg capacity; 25.4 cm of vertical travel.

**5399 Monitor Arm:** Instrument stand supports optional 5399 monitor arm.

### Durability Features

**High-performance base material** including the same polycarbonate used on supersonic aircraft, resists scrapes, scuffs and scratches.

**Backlit membrane switches** generally last longer than mechanical switches, and are ideal for use in a dimly lit environment. They control the chart projector, overhead lamp and binding post for an indirect ophthalmoscope, and raise and lower the exam chair.

**Halogen lamp** with long-lasting bulb provides bright, direct light for minor procedures. Arm adjusts without tools. Low voltage for safety.

## OPTIONS

### Wheelchair Access

Deliver care to wheelchair bound patients with an optional lower slit lamp arm.

### Tech Specs

Height to console: 91.4 cm. Height to pole top: 180.3 cm. Base: 53.3 x 53.3 cm.

Shipping weight: 132.4 kg. Electrical (Standard UL Listed), 30 volts, 60 Hz, 3 amperes.

